



N-Type Mono-Facial Module with Double Glass

Type: DMXXXM10RT-G54HSW/HBW

25 YEARS

Power Range: 440 - 455W Max. Efficiency : 22.8 %




Better Performance

Our modules perform better on sunny and hot days thanks to its optimized temperature coefficient.



Excellent Low Light Performance

Our modules can also provide higher power output under low light conditions, such as sunset, cloudy, or dawn.





Excellent Quality



More than 40 years' experience of manufacturing and intensive quality tests above the IEC standard ensures reliable modules and a secured investment.



Assumption of Environmental, Social and

Governance Responsibility (ESG) DMEGC stands for his responsibility. Production is certified according to SA 8000 (ILO standards).



High-quality service

We provide a customer-oriented and localized services, covering pre-sale, sale and after-sales.

Certifications


- ILO Standards. Social responsibility standards SA 8000
- Quality management system ISO 9001
- Environmental management system ISO 14001
- **ISO 45001** Occupational health and safety management system
- **ISO 50001** Energy management system






















DMXXXM10RT-G54HSW/HBW-L



Module Specification	on	1134 1094
Cell Type	N -type Mono-crystalline , 108 (6x18)	Drainage hole
Dimensions (mm)	1762 x 1134 x 30	14X9 Mounting holes 8 places
Weight (kg)	20.4	
Front Cover	1.6 mm heat strengthened glass with anti -reflective coating	
Rear Cover	1.6 mm heat strengthened glass	2000 200 2000 2
Junction Box	3 Diodes, IP68 according to IEC 62790	
Cables	4 mm ² solar cable, 1.1 m or Customized Length	
Connector Type	PV-ZH202B or MC4-EVO 2A (1500V)	• Short frame
		Grounding mark Grounding hole

Back side(mm)

Electrical Specifications¹

Module Type	DM440M10	ORT-G54HSW/HBW-L	DM445M10)RT-G54HSW/HBW-L	_ DM450M10F	T-G54HSW/HBW-L	DM455M10RT	G54HSW/HBW-I
Testing Condition	STC ²	NMOT ³	STC	NMOT	STC	NMOT	STC	NMOT
Maximum Power (Pmax/W)	440	331	445	335	450	339	455	343
Maximum Power Current (Imp/A)	13.40	10.83	13.47	10.89	13.54	10.95	13.61	11.00
Maximum Power Voltage (Vmp/V)	32.84	30.67	33.04	30.86	33.24	31.05	33.44	31.23
Short-circuit Current (Isc/A)	13.90	11.19	13.97	11.25	14.04	11.31	14.11	11.36
Open-circuit Voltage (Voc/V)	39.40	37.32	39.60	37.51	39.80	37.70	40.00	37.89
Module Efficiency STC (%)	22	2.0	22	.3	22	5	22	.8

 1 Measurements according to IEC 60904-3, Measurement tolerance: ISC: ±4%,VOC: ± 3%, 2 STC (Standard Test Condition): Radiation 1000 W/m², Module temperature 25°C, AM = 1.5 3 NMOT: Radiation 800 W/m², Ambient temperature 20°C, AM = 1.5, Wind Speed 1 m/s

Certifications and Warranty

	IEC 61215, IEC 61730	
	Ammonia Corrosion Test: IEC 62716	
Certifications	Salt Mist Corrosion Test: IEC 61701	
	PID (IEC TS 62804); LeTID (IEC TS 63342)	
	Dust & Sand (IEC 60068)	
WEEE Registration No.	DE 50188598	
Product Warranty	25 years	
Peak Power Warranty	30 years linear warranty	

Operating conditions

Operating Temperature ($^\circ\!\!\!\!\mathrm{C}$)	-40 to +85
Maximum System Voltage(V)	1500 DC (IEC)
Overcurrent protection rating (A)	30
Power Performance Tolerance (%)	0 / +3
Protection class	II
Max. Test Load, Push/Pull (Pa)	Snow 5400 / Wind 2400
Max. Design Load, Push/Pull (Pa)	3600 / 1600


1.) First year: min. 99 %. 2.) From the 2nd year: Max. 0.4 % degradation annually. 3.) Min. 87.4 % in the 30th year.

Temperature Characteristics Nominal Module Operating Temperature (NMOT) 42± 2°C Tomporature Coefficient of Pmax (% / %)

Temperature Coefficient of Pmax (%/ $^{\circ}$ C)	-0.29
Temperature Coefficient of Voc (%/ $^\circ C$)	-0.25
Temperature Coefficient of Isc (%/ $^\circ C$)	+0.048

Packaging 40' HQ Container Pallet $1800 \times 1140 \times 1250$ Dimensions(mm)

Pieces per Pallet	36
Pieces per Container	936



Statement: The installation instructions and the warranty conditions must be followed. Due to technological progress, product parameters will be adjusted accordingly. When signing the contract, the latest data of the company shall prevail.



Hengdian Group DMEGC Magnetics Co.,Ltd. Hengdian Industrial Zone, Dongyang City Zhejiang Province, China 322118 Tel: 0086-579-8658-8825 Fax: 0086-579-8655-4845 E-mail: solar@dmegc.com.cn, Website: www.dmegcsolar.com All information in this data sheet corresponds to EN 50380. Changes and errors excepted.

Status: 01/2024, Document: EN_DS-M10RT-G54HSW/HBW-L-202401_2

Copyright © 2023 Hengdian Group DMEGC Magnetics. All rights reserved.